




THE FUSION OF PRODUCTION AND TECHNOLOGY™



SPECIFICATIONS

Model No.	SL-68c	
Huckbolt/Avdel	All Material	
Lockbolt style bolt	3/16" , 1/4"	4.8, 6.4 mm
Capacity		
Traction Power	4800 lbs	2200kg
Stroke	3/4"	19mm
Operating Air Pressure	90-110 PSI	
Air Consumption	0.14Cuft.	3.9 / Stroke
Height	13-1/4"	336mm
Weight	5.3 lbs	2.4 kg
Min. Hose Size	3/8" I.D.	
Air Inlet	1/4" NPT	1/4"PT
Sound Pressure	80 DBA	
Vibration	<2.5M/S ²	


STANDARD ACCESSORIES :

Index	P/N	Description
40.	T1020S	Univeral Joint
79	54059	Hanging Ring
*	54005	Hex. Wrench
*	12S14	Spanner (12mm/14mm)
*	63026	Wrench
*	11790	Oil Syringe
*	02160	Safety Cap

Index No.	Part No.	Description
1	72061	Retaining Nut
3	682015	Anvil Adaptor
10	02171	Oil Plug
11	02197	O-Ring Seal (6)
12	400017A	Fill Washer
13	68002V	Hydraulic Section
14	11520	X-Ring Seal(2)
15	11558	O-Ring Washer(2)
16	R9X15	O-Ring Seal
17	11554	Washer
18	11502	X-Ring Seal
19	6801422	Washer
20	FU011650	USI Ø14 x Ø22 x 5
21	682051	Hydraulic Plunger
22	11501	O-Ring Seal
23	11549	Washer
24	5002580	Hyd. Return Spring
25	682052	Guide Tube
26	682010	Real Gland
27	R16X17	O-Ring Seal
28	63003	Hydraulic Handle
29	25018B	Roll Pin
30	63010	Trigger

Index No.	Part No.	Description
31	630W3	Washer(2)
32	630M3	Screw(2)
33	55065	O-Ring Seal
34	63009	Trigger Bush
35	63016	Trigger Stem
36	R2X15	O-Ring Seal
37	R1-9X19	O-Ring Seal
38	630356	O-Ring Seal
41	63031	Exhaust Cap
42	25020	Screw (3)
43	68005	Air Cylinder Body
45	63038	Throttle valve
46	10512	O-Ring Seal
47	35016	O-Ring Seal
48	63037	Upper Bush
49	10445	O-Ring Seal
50	63036	Law Bush
51	25022	O-Ring Seal
52	64039	Valve Tube
53	630RW8X2	Rubber Washer
54	R18X2	O-Ring Seal (3)
55	63066	Valve pipe
56	68032	Pipe Washer

Index No.	Part No.	Description
57	R266X24	
58	63057	
59	682022	
60	R5X15	
61	63030	
62	63079	
63	35039	
65	68020	
66	48047	
67	48048	
68	R88X53	
69	680100	
70	400031	
71	68094	
72	R9-3X23	
73	68004V	
74	63048	
75	63060	
76	680150	
77	68095	
80	680106	
86	68212	
90	68078	



Description	
O-Ring Seal	
Screw Plug	
Plunger Rod	
O-Ring Seal	
Cushion	
Bush	
O-Ring Seal	
Piston	
Washer (3)	
Nut	
O-Ring Seal	
Cylinder Cup	
Pin	
Tube (2)	
O-Ring Seal (4)	
Cylinder Cap	
Name Plate	
Rubber Plug	
Bolt (2)	
Bush (2)	
Rubber cushion	
Plug	
Washer	

SL-68c Lockbolt "Super Light" All-in-One™

HUCK LOCKBOLT NOSE HEAD ASS'Y



T68290 1/4" NOSE ASS'Y

For *HUCK C6L Fastener
*AVDEL Avdelok

Index	Part No.	Description
2	82016	Swaging Anvil
4	72009	Collet
5	82008S	Jaws Set
8	820092B	Collet Coupler

T68290MA 1/4" NOSE AS

For *HUCK Magna- Grip
*AVDEL Maxlok

Index	Part No.	Desc
2	82016MG	Swag
4	72009	Colle
5	82008MGS	Jaws
8	820092B	Colle

T68190MA 3/16" NOSE ASS'Y

For *HUCK Magna- Grip
*AVDEL Maxlok

Index	Part No.	Description
2	720316MG	Swaging Anvil
4	72009	Collet
5	71508MGS	Jaws Set
8	820092B	Collet Coupler

ISSY

ription
jing Anvil
t
Set
t Coupler